

FIG. 1




FIG. 2




FIG. 3

```
NOTIFY * HTTP/1.1
HOST: 239.255.255.250:1900
CACHE-CONTROL: max-age = 600
LOCATION: 123.222.212.121
NT: Print
NTS: ssdp:alive
SERVER: OS/version UPnP/1.0 product/version

<DeviceInfo>
  <PrinterMakeAndModel> XXXXX LBP-1234
  </PrinterMakeAndModel>
  <PrinterName> My Printer
  </PrinterName>
  <PrinterURL> 123.222.212.121
  </PrinterURL>
  <PrinterMACAddress> 00-60-08-01-02-0B
  </PrinterMACAddress>
  <PrinterUUID> 00-60-08-01-02-0B
  </PrinterUUID>
</DeviceInfo>
```

FIG. 4

```
NOTIFY * HTTP/1.1
HOST: 239.255.255.250:1900
CACHE-CONTROL:max-age = 600
LOCATION: 123.222.212.121
NT: Print
NTS: ssdp:byebye
SERVER: OS/version UPnP/1.0 product/version

<DeviceInfo>
  <PrinterMakeAndModel> XXXXX LBP-1234
  </PrinterMakeAndModel>
  <PrinterName> My Printer
  </PrinterName>
  <PrinterURL> 123.222.212.121
  </PrinterURL>
  <PrinterMACAddress> 00-60-08-01-02-0B
  </PrinterMACAddress>
  <PrinterUUID> 00-60-08-01-02-0B
  </PrinterUUID>
</DeviceInfo>
```

FIG. 5




FIG. 6




FIG. 7

M-SEARCH * HTTP/1.1

HOST: 239.255.255.250:1900

MAN: "ssdp:discover"

MX: 60

ST: uuid:00-60-08-95-6C-0B

CONTENT-LENGTH: bytes in body

CONTENT-TYPE: text/xml;charset="utf-8"

FIG. 8